

Noval Face Recognition Door Locking Using Ai

Payal Sakhare¹, Nagma Sheikh², Rahul Dhature³

¹M. Tech (Communication) Dept. of Electronics & Telecommunication Engg, TGPCET, Nagpur.

²Department of Electronics & Communication Engg TGPCET, Nagpur University Nagpur, India

³Department of Electronics & Communication Engg TGPCET, Nagpur University Nagpur, India

Abstract: Most entryways are constrained by people with the utilization of keys, security cards, secret phrase or example to open the entryway. The aim of this paper is to help clients for improvement of the entryway security of delicate areas by utilizing face location and acknowledgment. Face is a complex multidimensional structure and needs great computation strategies for location and acknowledgment. This paper is contained for the most part of three subsystems: to be specific face identification, face acknowledgment and programmed entryway get to control. The system once it recognizes the person it opens the door. If the person doesn't recognize then the door remains off.

Index Terms: SIFT, Face Recognition, Door Lock

I. Introduction

Humans as individuals, have particular characteristics and distinctive. These characteristics can be used to understand or discover persons. This is called biometric recognition. Facial reputation is a sort of biometric software application that may identify a specific man or woman in a digital image with the aid of reading and evaluating patterns. Face recognition is used for safety purpose. In brand new networked international, the need to hold the security of records or physical belongings is turning into both increasingly crucial and more and more difficult. From time to time we hear approximately the crimes of credit score card fraud, pc break in's through hackers, or safety breaches in a company, government building. In the 12 months 1998, state-of-the-art cyber crooks caused properly over US \$a hundred million in losses. In maximum of these crimes, the criminals have been taking advantage of a essential flaw inside the conventional get admission to manipulate systems: the systems do now not furnish access via "who we are", but by way of "what we have", inclusive of ID cards, keys, passwords, and PIN numbers. None of those approach are really defining us. Rather, they simply are manner to authenticate us. It goes without pronouncing that if someone steals, duplicates, or acquires those identification means, he or she can be able to get entry to our records or our personal belongings any time they need. Recently, era became available to permit verification of "true" individual identity. This generation is based in a field called "biometrics". Biometric get right of entry to controls are automated strategies of verifying or spotting the identity of a living character on the premise of some physiological traits, together with fingerprints or facial features. In today's world of connectivity and clever devices there is an urgent need to adjust our current day to day items and make them smart, additionally it isn't always the era whilst we can blindly accept as true with the antique and conventional security measures, specifically talking is our door locks. To change and modernize any item we need to eliminate its existing drawbacks and add greater functionality. The foremost drawbacks in a common door lock is that everybody can open a conventional door lock by means of duplicating or stealing the key and its truly impossible if we need our friends and family to go into our house, without being virtually present over there. Thus why no longer just dispose of those problems. So, to definitely convert this ordinary door lock into a smart lock, which could open the door each time we flip up in the front of the gate or while we want it to open up for a person. The database of photos are saved in database of friends .If the person is available in front of door then camera capture the photo and in shape with the reference picture. If the face matches then the door is open. So an era has come where devices can have interaction with its customers and at the equal time make certain of their protection and hold improvising themselves.

II. Literature Survey

Door lock security systems are categorized based totally on era used 1) GSM primarily based, 2) smart card primarily based, 3) Password based, 4) Biometric based totally, 5) RFID based totally, 6) Door telephone primarily based, 7) Bluetooth primarily based, eight) Social networking sites based, 9) OTP primarily based, 10) motion detector based, eleven) VB based, 12) mixed gadget

2.1 Password based systems.

The programmable digital code lock tool [1] is programmed in this sort of way that it'll operate most effectively with the proper access of predefined digits. It is also known as an integrated combinational type lock. Electronics secure is its example. Based at the programmable digital code lock, the reprogrammable digital door locks [2] had been invented in that the password can trade any time because it is stored in promenade. For operating the tool, GSM/CDMA module may be used. When any man or woman calls up from his telephone, the call will be acquired with the aid of the gadget. And the door will open most effectively if the call is from a unique person. A cellular telephone managed password blanketed door lock gadget [3] is as proven in Fig 2 which became proposed to open the door with the help of mobile phone device by coming into a specific code.

The person can make a name to a machine's range. This name is liable for starting or remaining of the entry with the use of accurate password. In present day password primarily based system, an extra advanced system [4] develops which communicates the proprietor of the office or residence, while any unauthorized character tries to open the code, by way of giving accurate code as properly. Even as ultimate the door of office/domestic, the proprietor has to press the 0 key to be had at the hex keypad and loose the system. The machine evolved by way of Annie P. Oommen et. al. [5] allows for converting the password. To open the lock, the entered password must match with the modified one. In a few systems the safety dial-up allows through the GSM modem [6], when the unauthorized person enters an invalid password then the controller informs to the owner via GSM modem. Latest protection system [7] is designed wherein the locking safety system maybe stronger with the assist of GSM and RF wireless technology by using a 4 digit password which affords the authentication. 2.2 Biometric based gadget The palmtop popularity is the subsequent step for fingerprint reputation. It [8] operates on the photograph of palmtop. First of all machine takes an photograph of the palmtop then it works on that photograph by partitioning it and technique is needed.

At the quit, verify the proper character. Consequently, it reduces the probabilities of blunders in other human recognition techniques and clarifies the troubles which have been confronted inside the fingerprint recognition. The biometric method may be very useful in financial institution lockers. Except fingerprint recognition the vein detector and iris scanner gives best and accurate result so, in the financial institution security gadget [9], microcontroller continuously observes the Vein Detector and Iris Scanner via keypad authenticated codes. At some stage in night the wi-fi movement detector may be energetic, if any variant occurs in its output, it'll be sensed by way of the controller and alert sounds can be given by it. These days, the short based most important factor analysis method is proposed wherein the amendment of major factor evaluation approach for the face reputation and face detection process is carried out [10].

The image is captured by the net digital camera and it gets matched with the image stored inside the database. New superior door lock protection systems are available based at the pattern of the human iris for providing a high degree of security. And to make the device more efficient and reliable the duplication is achieved in MATLAB [1].

2.3 GSM primarily based structures in many door lock safety structures, GSM is used for communication motive. The cause of a piece cultivated through utilization of circuits like a GSM module which receives activated through a controller [2] for sending SMS in emergency to owner and for sending corresponding offerings of protection on the time of ruin in. For detecting obstacles, the system requires numerous sensors. It gathers records from the sensors and settles on a preference. With the assist of GSM module, sends SMS to a respective number. At these days created version for protection of door [3] without problems managed like far flung manipulate operations by means of a GSM hand set acts because the transmitter and the alternative GSM smartphone set with the DTMF associated with the motor attached to door with the use of DTMF decoder, a stepper motor and microcontroller unit. These days humans need to be relaxed even though they're away from domestic [4]. Whilst the owner isn't at his domestic, security of domestic and vital matters is the large trouble in the front of all. Two frameworks have been created which relies upon on GSM based totally generation. For detection of the gate-crashes, it takes place by means of taking pictures photo via internet digital camera. When peoples aren't at their houses, the device sends notification in terms of SMS to the crisis variety. A novel administrator based device [5] can login without any stretch to the device and may see visitors report and listen their recorded messages and additionally robotically lock the door using cell verbal exchange technology

III. Proposed Methodology




Figure: 1 Block diagram of proposed system

Face Recognition is the process of determining whether or not a face is present in an image unlike face recognition—which distinguishes unique human faces, face detection simplest suggests whether or now not a face is found in an image.

The group of feature based totally face popularity strategies is the Scale Invariant Feature Transform (SIFT) proposed by Lowe. The SIFT technique and its corresponding features has many properties that make them suitable for matching different images of an object or a scene. The SIFT method detects the local key points that are notable and stable for images in different resolutions and uses scale and rotation invariant descriptors to represent the key-points.

Feature extraction:- By using SIFT and PCA, feature extraction can done . SIFT is a scale invariant feature transform which is used for Invariant to scale change, Invariant to rotation change, Invariant to illumination change ,Robust to addition of noise, Robust to substantial range of affine transformation, Robust to 3D view point, Highly distinctive for discrimination. Principle component analysis (PCA) is a multivariate technique that analyzes a face data in which observation are described by several inter-correlated dependent variables. The goal of PCA is to reduce the dimensionality of the data while retaining as much as possible of the variation present in the dataset.

Face recognition:-By using support vector machine classifier face can be recognized. SVM is capable of fast and accurate classification of a high number of faces.

Door Lock open: The door lock is open once the face is recognized. The serial interface is with pc. The data is send serially to microcontroller which decrypt the data And open the door lock. The security is provided based on face recognition.

IV. Conclusion

A automatic face recognition and door lock open by use off SIFT algorithm is discussed and studied. The system comforts the process for door lock. The demand of smart home is increases in the todays era. This system is a part of home automation for smart home. The system can be further enhance to control the various appliances. Also it can be added much feature like retina detection and fingerprint based door open.

References

- [1]. Jalendu Dhamija, Tanupriya Choudhury, IEEE 2017 International Conference on Computational Intelligence and Networks
- [2]. Patrik Kamencay, Martin Breznan, Dominik Jelsovka, and Martina Zachariasova, “Improved Face Recognition Method based on segmentation Algorithm using SIFT-PCA”, 978-1-4673-1118-2/12/\$31.00 ©2012 IEEE
- [3]. Gautam Narang, Soumya Singh Arjun Narang, “ Robust Face Recognition Method Based on SIFT Features Using Levenberg-Marquardt Backpropagation Neural Networks”, 978-1-4799-2764-7/13/\$31.00 ©2013 IEEE
- [4]. Tong Liu, Sung-Hoon Kim, Hyon-Soo Lee, Hyung-Ho Kim, “ Face Recognition base on a New Design of Classifier with SIFT keypoints”,978-1-4244-4738-1/09/\$25.00 ©2009 IEEE
- [5]. Y. Ke and R. Sukthankar, “PCA-SIFT: A more distinctive representation for local image descriptors”, IEEE Conf. on Computer Vision and Pattern Recognition, pp. 506-513, 2004.

- [6]. M. Bicego, A. Lagorio, E. Grosso and M. Tistarelli, "On the use of SIFT features for face authentication", Proc. Of IEEE Int Workshop on Biometrics, in association with CVPR, pp. 35-41, NY, 2006.
- [7]. L. C. Zhang, J. W. Chen, Y. Lu and P. Wang, "Face Recognition Using Scale Invariant Feature Transform and Support Vector Machine", the 9th International Conference for Young Computer Scientists , pp.1766-1770, 2008.
- [8]. Chih-Wei Hsu and Chih-Jen Lin, "A Comparison of Methods for Multiclass Support Vector Machines", IEEE TRANSACTIONS ON NEURAL NETWORKS, VOL. 13, NO. 2, MARCH 2002
- [9]. Nitin K. Mahadeo, Andrew P. Papliński, Sid Ray , "Optimization of Iris Codes for Improved Recognition" 2014 IEEE Conference on Computer Vision and Pattern Recognition Workshops.
- [10]. R. Rizal Isnanto , "Iris Recognition Analysis Using Biorthogonal Wavelets Tranform for Feature Extraction" 2014 1st International Conference on Information Technology, Computer and Electrical Engineering (ICITACEE).
- [11]. Asmaa I. Ismail; Hanaa S. Ali, IEEE Member; Fathi A. Farag , " Efficient Enhancement and Matching for Iris Recognition using SURF" 2015 IEEE
- [12]. Mohammad Amanullah "MICROCONTROLLER BASED REPROGRAMMABLE DIGITAL DOOR LOCK SECURITY SYSTEM BY USING KEYPAD & GSM/CDMA TECHNOLOGY", IOSR Journal of Electrical and Electronics Engineering (IOSR - JEEE), Volume 4, Issue 6 (Mar. - Apr. 2013).
- [13]. Kawser Wazed Nafi, Tonny Shekha Kar, Sayed Anisul Hoque, " AN ADVANCED DOOR LOCK SECURITY SYSTEM USING PALMTOP RECOGNITION SYSTEM", International Journal of Computer Applications (0975 – 8887), Volume 56– No.17, October 2012
- [14]. W. Zhao, R. Chellappa, P. Phillips, A. Rosenfeld, "Face recognition: a literature survey", ACM Computing Surveys vol. 35, pp.399–458, December 2003.
- [15]. M. Turk and A. Pentland, "Eigenfaces for Recognition," J. Cognitive Neuroscience, vol. 3, no. 1, pp. 71-86, 1991.
- [16]. Pantic M. and Rothkrantz L.J.M., "Automatic analysis of facial expressions: the state of the art ", IEEE Trans. Pattern Analysis and Machine Intelligence, Vol. 22, No. 12, pp. 1424-1445, 2000.
- [17]. "Analysis of PCA-Based and Fisher Discriminant-Based Image
- [18]. Recognition Algorithms:" Wendy S. Yambor, July 2000 (Technical Report CS-00-103, Computer Science).
- [19]. "Survey: Face recognition systems:" C. Bunney, Biometric Technology Today, Vol. 5, No. 4, pp. 8-12, 1997.